



**PRODUCT BROCHURE**



WELCOME TO



At British Fires the design and development team has one mindset, uncompromising quality, which drives us to deliver top-end products. Our aim is to help you create a peaceful and relaxing environment.

Ever since the inception of the New Forest 1200 Electric Fire we have continued to develop and attain a reputation for excellent products and customer support. Our award winning LED flame-effect and patented Air Curtain Technology continue to impress clientele from California to Qatar.

We think you will enjoy exploring our collection of products in this brochure. It offers inspiring installations from exquisite wall insets to charming wall mounted suites.

Located on England's beautiful south coast is the New Forest National Park—the inspiration of our electric fireplaces.

The New Forest covers 219 mi<sup>2</sup> and is home to many parks, farms, golf courses, and outdoor activities. Today, the New Forest is populated mostly by birch, beech, conifers and oak trees. There are also vast areas of heathland due to cultivation from the Bronze Age and prior which gives the National Park its unique terrain and geography.

This natural makeup of the New Forest is what gave us the inspiration to design the Deluxe Real Log fuel beds which comes standard with every fireplace. Please see pages 23–26 to learn more.





# NEW FOREST 650SQ

## DIMENSIONS

Width	654 mm
Height	911 mm
Depth	234 mm
See page 31 for all dimensions	

## INSTALLATION

One-Sided ☐

## FEATURES

  
DELUXE REAL LOGS

## TIER OPTIONS

*Signature* *Deluxe*

SCAN TO LEARN MORE






# NEW FOREST 870

## DIMENSIONS

Width	870 mm
Height	465 mm
Depth	311 mm
See page 31 for all dimensions	

## INSTALLATION

One-Sided	
Two-Sided	
Three-Sided	

## FEATURES

  
DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®  


## TIER OPTIONS

*Signature Deluxe*



SCAN TO LEARN MORE





# NEW FOREST 1200

## DIMENSIONS

Width	1200 mm
Height	565 mm
Depth	311 mm
See page 31 for all dimensions	

## INSTALLATION

One-Sided	<input type="checkbox"/>
Two-Sided	<input type="checkbox"/>
Three-Sided	<input type="checkbox"/>

## FEATURES

  
**DELUXE REAL LOGS**

 **AIR CURTAIN TECHNOLOGY\***

## TIER OPTIONS

*Signature Deluxe*

**SCAN TO LEARN MORE**



**AWARD WINNING  
NEW FOREST  
ELECTRIC FIRE**



# NEW FOREST 1600

## DIMENSIONS

Width	1600 mm
Height	565 mm
Depth	311 mm
See page 31 for all dimensions	

## INSTALLATION

One-Sided	<input type="checkbox"/>
Two-Sided	<input type="checkbox"/>
Three-Sided	<input type="checkbox"/>

## FEATURES

  
DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®  


## TIER OPTIONS

*Signature* *Deluxe*



SCAN TO LEARN MORE





# NEW FOREST 1900

## DIMENSIONS

Width	1925 mm
Height	565 mm
Depth	311 mm
See page 32 for all dimensions	

## INSTALLATION

One-Sided	<input type="checkbox"/>
Two-Sided	<input type="checkbox"/>
Three-Sided	<input type="checkbox"/>

## FEATURES

  
DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY®  


## TIER OPTIONS

*Signature* *Deluxe*



SCAN TO LEARN MORE





# NEW FOREST 2400

## DIMENSIONS

Width	2375 mm
Height	565 mm
Depth	311 mm
See page 32 for all dimensions	

## INSTALLATION

One-Sided	<input type="checkbox"/>
Two-Sided	<input type="checkbox"/>
Three-Sided	<input type="checkbox"/>

## FEATURES

Two 1500w heaters which requires two 10 Amp outlets drawing a total of 13.05 Amps



## TIER OPTIONS

*Signature* *Deluxe*



SCAN TO LEARN MORE





# KNIGHTWOOD

## DIMENSIONS

Width 654 mm

Height 911 mm

Depth 234 mm

See page 33 for all dimensions

## INSTALLATION

One-Sided ☐

## FEATURES

  
DELUXE REAL LOGS

## TIER OPTIONS

*Deluxe*



SCAN TO LEARN MORE





# ASHLETT INSERT




## DIMENSIONS

Width	650 mm
Height	490 mm
Depth	300 mm

See page 33 for all dimensions

Upgrade with a steel frame finished in a textured powder coat black paint for a premium appearance

## INSTALLATION

One-Sided	
Two-Sided	
Three-Sided	

  
DELUXE REAL LOGS

## TIER OPTIONS

*Deluxe*

SCAN TO LEARN MORE





# HOLBURY SUITE

## AVAILABLE SIZES & COLOURS

870, 1200 & 1600

Grey marble-effect or White marble-effect

See page 33 for all dimensions

## INSTALLATION

One-Sided

## FEATURES

  
DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY™  


## TIER OPTIONS

*Deluxe*

SCAN TO LEARN MORE





# BROCKENHURST SUITE

## AVAILABLE SIZES & COLOURS

870, 1200 & 1600

Grey marble-effect or White marble-effect

See page 34 for all dimensions

## INSTALLATION

Wall Hung Three-Sided



## FEATURES

  
DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY™  


## TIER OPTIONS

*Signature* *Deluxe*

SCAN TO LEARN MORE





# WINCHESTER SUITE

## AVAILABLE SIZES & COLOURS

870, 1200 & 1600

Grey marble-effect or White marble-effect

See page 34 for all dimensions

## INSTALLATION

Wall Hung Three-Sided

## FEATURES

  
DELUXE REAL LOGS

AIR CURTAIN TECHNOLOGY™  


## TIER OPTIONS

*Signature* *Deluxe*

SCAN TO LEARN MORE





# PRODUCT TIERS

Explore the three tiers of British Fires, from the sleek Signature to exquisite Deluxe and up to the ultimate, Black Edition we offer a variety of product upgrades that are desirable for any lifestyle.

## Signature

Crafted ceramic Signature Logs that look remarkably convincing with charred log details.

The base is finished with crystals, dark and light slate. The look is finished with a mirrored rear glass enhancing the 3D effect with downlights on.

Available for New Forest 650SQ, 870, 1200, 1600, 1900, 2400, Brockenhurst & Winchester Suites.



## Deluxe

Elevate your fire with Deluxe Real Logs and bring the charm of an authentic fireplace within view. The logs are scorched and charred by hand then set solidly into place for an easy installation. The Deluxe tier includes a mirrored rear glass but can be upgraded further with Dark Rear Glass to minimise reflection of the room and to boldly contrast the flames creating a dramatic view.

Available for New Forest 650SQ, 870, 1200, 1600, 1900, 2400, Brockenhurst Suites, Winchester Suites, Knightwood & Ashlett.





# DELUXE REAL LOGS

As standard, your electric fireplace is installed with our premium Deluxe Real Logs for all models.

Each Deluxe Real Log is unique and artisanally crafted using actual logs found in nature. They really enhance an already prominent statement piece in any room and will take any viewer by surprise — especially when you tell them that they are real logs.

The Signature Log set is also available as an alternative fuel bed option.



SCAN TO LEARN MORE



# *THE MAKING OF...*

Our most realistic fuel bed, Deluxe Real Logs, brings together our award winning flame-effect with real Oak Logs found in the south of England. Each real log fuel bed has been crafted by our team of log technicians who keep the styles consistent whilst delivering industry leading designs.

To see the development process from sketching to cutting and scorching to installation scan the QR code below to watch the amazing journey.

WATCH *THE MAKING OF...*





# BE IN CONTROL

## FLAME CONTROL

Adjust the height of the flame-effect to suit your mood.

## DOWN LIGHTING

Turn on the downlights to put the fuel bed media in the spotlight or, relax the mood with the flame-effect as the prominent feature.

## FUEL BED COLOUR CHANGE

Try each colour that provides it's own unique ambiance. Can't decide? Try the setting that gently cycles through each colour on a loop.

## DAILY AND WEEKLY TIMER

Schedule when you want the heat. The seven-day programmable calendar will remember your settings and activate the thermostatic heater as scheduled.

## TIMER BOOST

Choose to boost the heat between one and nine hours.

## THE HEAT IS ON – ONLY WHEN IT'S NEEDED

Choose a temperature between 17° & 27°C and the A.C.T. will do the work. Once it does, the thermostatically controlled heater will turn off, automatically.

## OPEN WINDOW DETECTION

If there is a drop in temperature of 5°C or more within a 10-minute period the heater automatically turns off to preserve energy.





# AIR CURTAIN TECHNOLOGY®

## MAXIMISING THE DISTRIBUTION OF HEAT


With the expertly designed dual-vent system being a funnel-shape the warmed air is disperse – not just forward – but, widely into a room.

## DISCREET HEAT CREATES A SLEEK DESIGN

Because the heater sits above the glass the offset to the trim of the firebox is very narrow. This allows for a contemporary and sleek design.

## IN WITH THE COOL AND OUT WITH THE WARM


Cooler room air is pulled in, then heated and pushed out via the dual-vent heating system.






# PRODUCT DIMENSIONS


## NEW FOREST 650SQ




## NEW FOREST 1200




## NEW FOREST 1900




## NEW FOREST 870



## NEW FOREST 1600



## NEW FOREST 2400




This model has two 1500w heaters which requires two 10 Amp outlets drawing a total of 13.05 Amps. Therefore, it may require it's own circuit. For an optimal installation, it is recommended that it is hard-wired with it's own circuit.



# PRODUCT DIMENSIONS

## HOLBURY SUITE




### Holbury 870 Suite

A	845.0 mm	B	1050.0 mm	C	322.5 mm	D	509.0 mm	E	797.0 mm	F	309.0 mm
G	845.0 mm	H	292.5 mm	I	30.0 mm	J1	24.0 mm	J2	35.0 mm	K	465.0 mm

### Holbury 1200 Suite

A	1178.0 mm	B	1440.0 mm	C	322.5 mm	D	628.0 mm	E	1127.0 mm	F	403.0 mm
G	1175.0 mm	H	292.5 mm	I	30.0 mm	J1	24.0 mm	J2	35.0 mm	K	565.0 mm

## BROCKENHURST SUITE




### Brockenhurst 870 Suite

A	1400.0 mm	B	404.0 mm	C	1020.0 mm	D	536.0 mm	E	331.0 mm
F	100.0 mm	G	105.0 mm	H	87.0 mm	I	317.5 mm	J	72.5 mm

### Brockenhurst 1200 Suite


A	1730.0 mm	B	404.0 mm	C	1350.0 mm	D	630.5 mm	E	425.5 mm
F	100.0 mm	G	105.0 mm	H	87.0 mm	I	317.5 mm	J	72.5 mm

## KNIGHTWOOD




A	802.0 mm
B	1529.0 mm
C	1159.0 mm
D	720.0 mm
E	151.0 mm
F	178.0 mm
G	392.5 mm
H	725.0 mm
I	380.0 mm

## ASHLETT INSERT



A	652.0 mm
B	491.0 mm
C	677.0 mm
D	313.0 mm
E	363.0 mm
F	82.0 mm
G	90.0 mm

## WINCHESTER SUITE



### Winchester 870 Suite

A	1200.0 mm	B	404.0 mm	C	1200.0 mm	D	611.0 mm	E	331.0 mm
F	140.0 mm	G	140.0 mm	H	87.0 mm	I	317.5 mm	J	72.5 mm

### Winchester 1200 Suite

A	1530.0 mm	B	404.0 mm	C	1530.0 mm	D	705.0 mm	E	425.0 mm
F	140.0 mm	G	140.0 mm	H	86.5 mm	I	317.5 mm	J	72.5 mm



# CONTACT

## AUSTRALIA

☎ 1800 271 040

✉ [sales@britishfires.com.au](mailto:sales@britishfires.com.au)

🌐 [www.britishfires.com.au](http://www.britishfires.com.au)



British Fires Ltd

Distributed in Australia by:

Dragon Wholesaling Pty Ltd

PO Box 8051

Baulkham Hills BC. NSW 1755

## NEW ZEALAND

☎ (09) 872 2678

✉ [sales@britishfires.com.au](mailto:sales@britishfires.com.au)

🌐 [www.britishfires.co.nz](http://www.britishfires.co.nz)

# GUARANTEE

At British Fires we pride ourselves on quality and performance, so much so, that each British Fires electric product is applicable for a 5-year guarantee when purchased from an authorised dealer and registered online. Full warranty terms and conditions are available to view at: [www.britishfires.com.au](http://www.britishfires.com.au)

All appliances must be installed in a correctly ventilated space in accordance with the manufacturer's installation instructions and the rules in force. This brochure is for guidance only and is not intended to replace the installation manual, which provides more detailed information. March 2025. British Fires®





